


UNIDAD V

5.-PLANOS ARQUITECTONICOS

5.1.-PLANIMETRIA GENERAL



DOCENTE: ARQ. MECHTHILD KAISER
UNIVERSITARIO: MIGUEL ÁNGEL RAMÍREZ DUCHEN


The drawing consists of two main parts: a large floor plan and a detailed inset of a shoe sole.

Floor Plan: The main hall is a large, irregularly shaped room with a central circular area. The plan is divided into several sections, labeled with letters (A through Z) and numbers (1 through 31). The dimensions of the hall are 186.5m by 86.2m. The plan shows the layout of the hall, including the central circular area, the entrance, and the various sections. The drawing is a technical architectural plan, showing the layout of the hall and the various sections. The plan is divided into several sections, labeled with letters (A through Z) and numbers (1 through 31). The dimensions of the hall are 186.5m by 86.2m. The plan shows the layout of the hall, including the central circular area, the entrance, and the various sections.

Detalle de zapatas: This is a detailed inset of a shoe sole. It shows the sole of a shoe with a central circular area and several rectangular sections. The dimensions of the sole are 186.5m by 86.2m. The drawing is a technical architectural plan, showing the layout of the sole and the various sections. The plan is divided into several sections, labeled with letters (A through Z) and numbers (1 through 31). The dimensions of the sole are 186.5m by 86.2m. The plan shows the layout of the sole, including the central circular area, the entrance, and the various sections.

5.3.-PLANTA AMOBLADA





5.4.-PLANTA ACOTADA






5.5.-PLANO DE TECHOS



[illegible]

DOCENTE: ARQ. MECHTHILD KAISER
UNIVERSITARIO: MIGUEL ÁNGEL RAMÍREZ

5.7.-FACHADAS





DOCENTE; ARQ. MECHTHILD KAISER
UNIVERSITARIO: MIGUEL ÁNGEL RAMÍREZ



DOCENTE; ARQ. MECHTHILD KAISER
UNIVERSITARIO: MIGUEL ÁNGEL RAMÍREZ

Steel Framing, una tecnología constructiva sencilla, fiable, sostenible y económica. Es un sistema constructivo "en seco", ligero y sostenible que se basa en el uso de perfiles laminados en frío de acero galvanizado de bajo espesor. Sus usos más habituales son edificaciones de cualquier tipo de hasta 5 plantas: viviendas, edificios comerciales, colegios, hoteles, construcciones, etc. Dado su ligereza estructural y fácil integración con cualquier tipología constructiva "tradicional", es también un sistema muy apropiado para la construcción de cubiertas ligeras, cerramientos industriales, ampliaciones en altura y formas.





DOCENTE; ARQ. MECHTHILD KAISER
UNIVERSITARIO: MIGUEL ÁNGEL RAMÍREZ


[illegible]




PERSPECTIVAS EXTERIORES DE EXPOSICION



MATERIA:		PARQUE ECOURBANO
PROYECTO DE GRADO		MUSEO DE HISTORIA NATURAL
CONTENIDO:		PERSPECTIVAS
DOC.:		ARQ. MECHTHILD KAISER
UNIV.:		MIGUEL ÁNGEL RAMÍREZ D.
FECHA:		17/04/2017



PERSPECTIVAS EXTERIORES DE EXPOSICION AL AIRE LIBRE




		PROYECTO DE GRADO	
CONTENIDO		PERSPECTIVAS	
DOC. I. ARQ. MECHTHILD KAISER		MUSEO DE CIENCIAS NATURALES	
UNIK. I. MIGUEL ANGEL RAMIREZ D.		FECHA: JUNIO - DICIEMBRE 2011	



PERSPECTIVAS EXTERIORES DE EXPOSICION

		PROYECTO DE GRADO	
CONTENIDO		PERSPECTIVAS	
DOC. : ARQ. MECHTHILD KAISER		UNIV. : MIGUEL ÁNGEL RAMÍREZ D.	
PARQUE ECOSISTEMAS		MUSEO DE HISTORIA NATURAL	
FECHA : 15/04/2018		FECHA : 15/04/2018	



PERSPECTIVAS INTERIORES INVERNADERO


	PROYECTO DE GRADO	MUSEO ECOSISTEMAS NATURALES
	GUIA: MIGUEL ÁNGEL RAMÍREZ D.	DOC. TARE: MECHTHILD KAISER

FECHA: 15/04/2017



5.15.- MOBILIARIO URBANO

DOCENTE: ARQ. MECHTHILD KAISER
UNIVERSITARIO: MIGUEL ÁNGEL RAMÍREZ



5.16.-CRITERIOS DE SOSTENIBILIDAD

