

Resumen Acero	Long. total	Peso+10%	Total
Cimentación	(m)	(kg)	
Despiece cimentación			
AH-500CN	06	138.8	33
Ø12	754.3	737	
Ø16	321.3	558	1328

Cimentación
Despiece cimentación
Normas: H-25, Control Normal
Escala: 1:50

PLANO DE ZAPATAS




Elemento	Pos.	Diam.	No.	Long. (cm)	Total (cm)	AH-500CN (kg)
P1-P6	1	Ø12	4	130	4.4	
	2	Ø12	4	130	4.4	
	3	Ø12	4	130	4.4	
	4	Ø12	4	130	4.4	
	5	Ø12	4	130	4.4	
	6	Ø12	4	130	4.4	
P7-P10	7	Ø12	4	130	4.4	
	8	Ø12	4	130	4.4	
	9	Ø12	4	130	4.4	
	10	Ø12	4	130	4.4	
	11	Ø12	4	130	4.4	
	12	Ø12	3	96	2.7	
P11-P13	13	Ø12	4	130	4.4	
	14	Ø12	4	130	4.4	
	15	Ø12	4	130	4.4	
	16	Ø12	3	96	2.7	
	17	Ø12	4	130	4.4	
	18	Ø12	4	130	4.4	
P14-P17	19	Ø12	4	130	4.4	
	20	Ø12	4	130	4.4	
	21	Ø12	4	130	4.4	
	22	Ø12	4	130	4.4	
	23	Ø12	4	130	4.4	
	24	Ø12	3	96	2.7	
P18	25	Ø12	4	130	4.4	
	26	Ø12	4	130	4.4	
	27	Ø12	4	130	4.4	
	28	Ø12	4	130	4.4	
	29	Ø12	4	130	4.4	
	30	Ø12	3	96	2.7	
P19	31	Ø12	4	130	4.4	
	32	Ø12	4	130	4.4	
	33	Ø12	4	130	4.4	
	34	Ø12	4	130	4.4	
	35	Ø12	4	130	4.4	
	36	Ø12	3	96	2.7	
P20	37	Ø12	4	130	4.4	
	38	Ø12	4	130	4.4	
	39	Ø12	4	130	4.4	
	40	Ø12	4	130	4.4	
	41	Ø12	4	130	4.4	
	42	Ø12	3	96	2.7	
P21	43	Ø12	4	130	4.4	
	44	Ø12	4	130	4.4	
	45	Ø12	4	130	4.4	
	46	Ø12	4	130	4.4	
	47	Ø12	4	130	4.4	
	48	Ø12	3	96	2.7	
P22-P24	49	Ø12	4	130	4.4	
	50	Ø12	4	130	4.4	
	51	Ø12	4	130	4.4	
	52	Ø12	4	130	4.4	
	53	Ø12	4	130	4.4	
	54	Ø12	3	96	2.7	
P25	55	Ø12	4	130	4.4	
	56	Ø12	4	130	4.4	
	57	Ø12	4	130	4.4	
	58	Ø12	4	130	4.4	
	59	Ø12	4	130	4.4	
	60	Ø12	3	96	2.7	
P26	61	Ø12	4	130	4.4	
	62	Ø12	4	130	4.4	
	63	Ø12	4	130	4.4	
	64	Ø12	4	130	4.4	
	65	Ø12	4	130	4.4	
	66	Ø12	3	96	2.7	
P27	67	Ø12	4	130	4.4	
	68	Ø12	4	130	4.4	
	69	Ø12	4	130	4.4	
	70	Ø12	4	130	4.4	
	71	Ø12	4	130	4.4	
	72	Ø12	3	96	2.7	
P28	73	Ø12	4	130	4.4	
	74	Ø12	4	130	4.4	
	75	Ø12	4	130	4.4	
	76	Ø12	4	130	4.4	
	77	Ø12	4	130	4.4	
	78	Ø12	3	96	2.7	
P29	79	Ø12	4	130	4.4	
	80	Ø12	4	130	4.4	
	81	Ø12	4	130	4.4	
	82	Ø12	4	130	4.4	
	83	Ø12	4	130	4.4	
	84	Ø12	3	96	2.7	
P30	85	Ø12	4	130	4.4	
	86	Ø12	4	130	4.4	
	87	Ø12	4	130	4.4	
	88	Ø12	4	130	4.4	
	89	Ø12	4	130	4.4	
	90	Ø12	3	96	2.7	
P31	91	Ø12	4	130	4.4	
	92	Ø12	4	130	4.4	
	93	Ø12	4	130	4.4	
	94	Ø12	4	130	4.4	
	95	Ø12	4	130	4.4	
	96	Ø12	3	96	2.7	
P32	97	Ø12	4	130	4.4	
	98	Ø12	4	130	4.4	
	99	Ø12	4	130	4.4	
	100	Ø12	4	130	4.4	
	101	Ø12	4	130	4.4	
	102	Ø12	3	96	2.7	
P33	103	Ø12	4	130	4.4	
	104	Ø12	4	130	4.4	
	105	Ø12	4	130	4.4	
	106	Ø12	4	130	4.4	
	107	Ø12	4	130	4.4	
	108	Ø12	3	96	2.7	
P34	109	Ø12	4	130	4.4	
	110	Ø12	4	130	4.4	
	111	Ø12	4	130	4.4	
	112	Ø12	4	130	4.4	
	113	Ø12	4	130	4.4	
	114	Ø12	3	96	2.7	
P35	115	Ø12	4	130	4.4	
	116	Ø12	4	130	4.4	
	117	Ø12	4	130	4.4	
	118	Ø12	4	130	4.4	
	119	Ø12	4	130	4.4	
	120	Ø12	3	96	2.7	
P36	121	Ø12	4	130	4.4	
	122	Ø12	4	130	4.4	
	123	Ø12	4	130	4.4	
	124	Ø12	4	130	4.4	
	125	Ø12	4	130	4.4	
	126	Ø12	3	96	2.7	
P37	127	Ø12	4	130	4.4	
	128	Ø12	4	130	4.4	
	129	Ø12	4	130	4.4	
	130	Ø12	4	130	4.4	
	131	Ø12	4	130	4.4	
	132	Ø12	3	96	2.7	
P38	133	Ø12	4	130	4.4	
	134	Ø12	4	130	4.4	
	135	Ø12	4	130	4.4	
	136	Ø12	4	130	4.4	
	137	Ø12	4	130	4.4	
	138	Ø12	3	96	2.7	
P39	139	Ø12	4	130	4.4	
	140	Ø12	4	130	4.4	
	141	Ø12	4	130	4.4	
	142	Ø12	4	130	4.4	
	143	Ø12	4	130	4.4	
	144	Ø12	3	96	2.7	
P40	145	Ø12	4	130	4.4	
	146	Ø12	4	130	4.4	
	147	Ø12	4	130	4.4	
	148	Ø12	4	130	4.4	
	149	Ø12	4	130	4.4	
	150	Ø12	3	96	2.7	
P41	151	Ø12	4	130	4.4	
	152	Ø12	4	130	4.4	
	153	Ø12	4	130	4.4	
	154	Ø12	4	130	4.4	
	155	Ø12	4	130	4.4	
	156	Ø12	3	96	2.7	
P42	157	Ø12	4	130	4.4	
	158	Ø12	4	130	4.4	
	159	Ø12	4	130	4.4	
	160	Ø12	4	130	4.4	
	161	Ø12	4	130	4.4	
	162	Ø12	3	96	2.7	
P43	163	Ø12	4	130	4.4	
	164	Ø12	4	130	4.4	
	165	Ø12	4	130	4.4	
	166	Ø12	4	130	4.4	
	167	Ø12	4	130	4.4	
	168	Ø12	3	96	2.7	
P44	169	Ø12	4	130	4.4	
	170	Ø12	4	130	4.4	
	171	Ø12	4	130	4.4	
	172	Ø12	4	130	4.4	
	173	Ø12	4	130	4.4	
	174	Ø12	3	96	2.7	
P45	175	Ø12	4	130	4.4	
	176	Ø12	4	130	4.4	
	177	Ø12	4	130	4.4	
	178	Ø12	4	130	4.4	
	179	Ø12	4	130	4.4	
	180	Ø12	3	96	2.7	
P46	181	Ø12	4	130	4.4	
	182	Ø12	4	130	4.4	
	183	Ø12	4	130	4.4	
	184	Ø12	4	130	4.4	
	185	Ø12	4	130	4.4	
	186	Ø12	3	96	2.7	
P47	187	Ø12	4	130	4.4	
	188	Ø12	4	130	4.4	
	189	Ø12	4	130	4.4	
	190	Ø12	4	130	4.4	
	191	Ø12	4	130	4.4	
	192	Ø12	3	96	2.7	
P48	193	Ø12	4	130	4.4	
	194	Ø12	4	130	4.4	
	195	Ø12	4	130	4.4	
	196	Ø12	4	130	4.4	
	197	Ø12	4	130	4.4	
	198	Ø12	3	96	2.7	
P49	199	Ø12	4	130	4.4	
	200	Ø12	4	130	4.4	
	201	Ø12	4	130	4.4	
	202	Ø12	4	130	4.4	
	203	Ø12	4	130	4.4	
	204	Ø12	3	96	2.7	
P50	205	Ø12	4	130	4.4	
	206	Ø12	4	130	4.4	
	207	Ø12	4	130	4.4	
	208	Ø12	4	130	4.4	
	209	Ø12	4	130	4.4	
	210	Ø12	3	96	2.7	
P51	211	Ø12	4	130	4.4	
	212	Ø12	4	130	4.4	
	213	Ø12	4	130	4.4	
	214	Ø12	4	130	4.4	
	215	Ø12	4	130	4.4	
	216	Ø12	3	96	2.7	
P52	217	Ø12	4	130	4.4	
	218	Ø12	4	130	4.4	
	219	Ø12	4	130	4.4	
	220	Ø12	4	130	4.4	
	221	Ø12	4	130	4.4	
	222	Ø12	3	96	2.7	
P53	223	Ø12	4	130	4.4	
	224	Ø12	4	130	4.4	
	225	Ø12	4	130	4.4	
	226	Ø12	4	130	4.4	
	227	Ø12	4	130	4.4	
	228	Ø12	3	96	2.7	
P54	229	Ø12	4	130	4.4	
	230	Ø12	4	130	4.4	
	231	Ø12	4	130	4.4	
	232	Ø12	4	130	4.4	
	233	Ø12	4	130	4.4	
	234	Ø12	3	96	2.7	
P55	235	Ø12	4	130	4.4	
	236	Ø12	4	130	4.4	
	237	Ø12	4	130	4.4	
	238	Ø12	4	130	4.4	
	239	Ø12	4	130	4.4	
	240	Ø12	3	96	2.7	
P56	241	Ø12	4	130	4.4	
	242	Ø12	4	130	4.4	
	243	Ø12	4	130	4.4	
	244	Ø12	4	130	4.4	
	245	Ø12	4	130	4.4	
	246	Ø12	3	96	2.7	
P57	247	Ø12	4	130	4.4	
	248	Ø12	4	130	4.4	
	249	Ø12	4	130	4.4	
	250	Ø12	4	130	4.4	
	251	Ø12	4	130	4.4	
	252	Ø12	3	96	2.7	
P58	253	Ø12	4	130	4.4	
	254	Ø12	4	130	4.4	
	255	Ø12	4	130	4.4	
	256	Ø12	4	130	4.4	
	257	Ø12	4	130	4.4	
	258	Ø12	3	96	2.7	
P59	259	Ø12	4	130	4.4	
	260	Ø12	4	130	4.4	
	261					



PLANO DE ZAPATAS



PLANO DE REPLANTEO



DESPIECE DE ESCALERAS



PLANO DE RAMPAS

